


# Master-/Diplomarbeit

## Pyroelektrische Materialien in wässriger Umgebung

Theoretische Untersuchungen  
der Grenzflächeneffekte  
mithilfe Finite-Elemente-Methoden



An der Grenzfläche zwischen einem pyroelektrischen Festkörper und einer Elektrolytlösung laufen hochkomplexe elektrochemische Prozesse ab. Mit theoretischen Modellen der elektrischen Doppelschicht soll die räumliche Verteilung der Wassermoleküle in Abhängigkeit von verschiedenen Einflussparametern (z.B. Temperatur, Ionenkonzentration der Lösung) und materialspezifischen Eigenschaften (z.B. pyroelektrischer Koeffizient, Ladungsträgerdichte) untersucht werden. Eine Modellierung der ortsabhängigen Dichteverteilung und eine grafische Darstellung des Potenzialverlaufs im Bereich der Grenzfläche runden die Untersuchung ab.

### Inhalt der Arbeit:

1. Weiterentwicklung der theoretischen Modelle aus der Literatur
2. Berechnung der physikalischen Größen mithilfe von Finite-Elemente-Methoden (praktische Erfahrungen mit FEM wären von Vorteil) unter Nutzung der entwickelten Modelle

### For further information please contact:

Prof. Dr. Gianauelio Cuniberti  
Institute of Materials Science and Max Bergmann Center  
TU Dresden, 01069 Dresden  
phone: +49(0)351 463-31420, <http://nano.tu-dresden.de/>






# master thesis

## STM studies of molecules for molecular electronics

**Experimental study of single  
organic molecules by Scanning  
Tunneling Microscope (STM)  
and spectroscopy at low  
temperature**



Experimental STM images of  
Aza-BODIPY molecules

Low Temperature STM (LT-STM) allows deep insights into the electronic properties of molecular systems and provide important information on the conformational and mechanical properties of single complex molecules. The present project will be centered on the manipulation of individual molecules to quantitatively characterize the charge transport through a molecular unit.

The **research plan** will include:

1. Basic understanding of the electronic and structural properties of the relevant metallic surfaces and organic molecules
2. Basic understanding of Ultra-High-Vacuum (UHV) and Scanning Tunneling Microscopy
3. Probe preparation in UHV and molecular deposition
4. Imaging and manipulation of single molecules on metallic surfaces.

**For further information please contact:**

Prof. Dr. Gianaurelino Cuniberti

Institute for Materials Science and Max Bergmann Center

TU Dresden, 01069 Dresden

phone: +49 (0)351 463-31420, <http://nano.tu-dresden.de/>






# Masterarbeit

## Pyroelektrische Materialien für die Desinfektion

### Experimentelle Arbeiten zur Funktionalisierung pyroelektrischer Pulver mit Nanopartikeln



Der pyroelektrische Effekt von Materialien wie Bariumtitanat kann genutzt werden, um in wässriger Umgebung OH-Radikale zu erzeugen. Dieser Prozess kann durch Kombination des Pyroelektrikums mit Edelmetall-Nanopartikeln noch verstärkt werden. Im Rahmen der Masterarbeit sollen Palladium-Nanopartikel auf Bariumtitanatpulvern immobilisiert werden und die Generierung von OH-Radikalen mit diesem Material überprüft werden.

### Inhalt der Arbeit:

1. Herstellung von Edelmetallclustern in wässriger Lösung
2. Erzeugung von Edelmetallclustern auf der Oberfläche des Pyroelektrikums
3. OH-Radikalnachweis mit dem funktionalisierten Material im Vergleich zu losen Partikeln

### For further information please contact:

Prof. Dr. Gianaurelino Cuniberti  
Institute for Materials Science and Max Bergmann Center  
TU Dresden, 01069 Dresden  
phone: +49 (0)351 463-31420, <http://nano.tu-dresden.de/>






# master thesis

## Improvement of sensitivity in field effect transistor biosensors

### Specific analyte detection with functionalized field effect transistors



Within a research line at our institute nanomaterials-based field effect transistors (FETs) have been developed for specific analyte detection. In this thesis the aim is to improve their sensitivity by surface chemical modification. To achieve this steps must be followed and characterized. The first part of the work consists on the modification of planar surfaces. The second part includes the transference of the procedure to the FETs and the performance of the detection experiments.

The **research plan** will include:

- 1.Surface chemistry on planar surfaces and FETs.
- 2.Analyte detection experiments with FETs
- 3.Parameter adjustment according to analyzed data

### **For further information please contact:**

Prof. Dr. Gianaurelio Cuniberti  
Institute for Materials Science and Max Bergmann Center  
TU Dresden, 01069 Dresden  
phone: +49 (0)351 463-31420 , <http://nano.tu-dresden.de/>  
[teaching@nano.tu-dresden.de](mailto:teaching@nano.tu-dresden.de)



# master thesis

## Optoelectronic hybrid nanowire devices


### Photoswitching of Si NW FETs using photoswitching molecules

This project aims to develop a fast optoelectronic switching devices using photosensitive molecules. Such molecules, e.g. azobenzenes, diarylethenes or spiropyrans, are highly reactive with light

illumination of specific wavelength and change their molecular structure and electrical polarity as a consequence of absorption of photons. Such molecules can be covalently bonded to the oxide surface of Si Nanowire FETs to develop fast switching devices modulated by specific wavelength of light. An important aspect of the project is to find a photoswitching molecule that reveals a fast optical response on a surface.

The **research plan** will include:

1. Surface functionalization of various photoswitching molecules and characterization of the surface (using contact angle measurement, AFM, XPS, FT-IR etc.)
2. Development of optical operating system (LED setup etc.)
3. Electrical characterization of hybrid Si NW FETs



### For further information please contact:

Prof. Dr. Gianarelio Cuniberti  
Institute for Materials Science and Max Bergmann Center  
TU Dresden, 01069 Dresden  
phone: +49 (0)351 463-31420 , [http://nano.tu-dresden.de/  
teaching@nano.tu-dresden.de](http://nano.tu-dresden.de/teaching@nano.tu-dresden.de)



# master thesis


## On-Chip Characterisation of One-Dimensional Nanomaterials For Biosensors Application

Semiconducting nanowires and nanotubes integrated in biosensors allow to reach extremely high sensitivity and are able to detect even single molecules or viruses.

The attached charged molecule acts as a gate of a field effect transistor (FET) influencing electronic properties of a nanometer thick conductor. Thus, the electric signals measured with such a FET show the attachment of particular species to the nanowire or the nanotube. The aim of this work is to check and optimize the performance of biosensors based on different one-dimensional materials.

The **research plan** will include:

1. UV-lithography and metalization for fabricating on chip electrodes.
2. Dispersion of one-dimensional nanomaterials on a chip.
3. Electrical investigations of the device performance.
4. Optimization of the device performance by various approaches.



**For further information please contact:**

Prof. Dr. Gianarelio Cuniberti  
Institute for Materials Science and Max Bergmann Center  
TU Dresden, 01069 Dresden  
phone: +49 (0)351 463-31420, <http://nano.tu-dresden.de/>





# master thesis

## Photocatalytic reduction of carbon dioxide



### Experimental study of reduction properties of CO<sub>2</sub> & simulation

Over the past 30 years, the photocatalytic reduction of carbon dioxide has attracted the attention of many research teams worldwide, and the number of scientific papers on this topic tends to rise. The largest increase was recorded over the past 5 years. However, the scientific community is still waiting for a first economically interesting product.

Here we want to contribute to this field adding new information on the relationship between the optical / electron / textural / structural properties and photocatalytic activity in collaboration with a group from Ostrava. The experimental part will consist in material synthesis, characterization and analytical characterization of the reduction process.

- H.Eckert, M. Bobeth, S. Teixeira, K.Kühn, G.Cuniberti, **Chemical Engineering Journal**, 261 (2015) 67–75.
- K. Kočí, K. Matějů, L. Obalová, S. Krejčíková, Z. Lacný, D. Plachá, L. Čapek, A. Hospodková, O. Šolcová, **Appl. Catal.**, B 96 (2010) 239-244.

**For further information please contact:**

Prof. Dr. Gianurelio Cuniberti  
Institute for Materials Science and Max Bergmann Center  
TU Dresden, 01069 Dresden  
phone: +49 (0)351 463-31420, <http://nano.tu-dresden.de/>



# master thesis



## Spin Selective Transport in Helical Molecules

Recent experimental work has shown a strong spin-dependent response in molecular systems like DNA,  $\alpha$ -helices, and helicene. This is in so far unexpected as organic systems usually display very weak spin-orbit effects. A common feature to all studied systems is however their **helical** structure. Model-based approaches have suggested a delicate interplay between **helical symmetry** and a non-conventional **spin-orbit coupling**, which could be responsible for the observed spin sensitivity. This chirality-induced spin selectivity can open the door to extensive applications of helical systems in the field of spintronics, thus creating viable alternatives to currently existing semiconductor-based spintronic devices.

**Goal** of this Thesis is the formulation of a theoretical framework to describe spin-dependent transport in helical systems both in the coherent and incoherent transport regimes.

The **research plan** will include:

1. Becoming familiar with nanoscale electron transport
2. Learning Master equation techniques
3. Formulation of a model Hamiltonian for helical systems including spin-orbit coupling
4. Numerical solution of the problem and comparison to experiments, whenever possible



**For further information please contact:**

Prof. Dr. Gianarelio Cuniberti  
Institute for Materials Science and Max Bergmann Center  
TU Dresden, 01069 Dresden  
phone: +49 (0)351 463-31420, <http://nano.tu-dresden.de/>

